

FLASHLIGHTS | TOOLS | ACCESSORIES



FLASHLIGHTS



REFERENCE:
LA0100

HEAD FLASHLIGHT LA-KMR

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
<ul style="list-style-type: none"> » Aluminum alloy » ABS plastic 	<ul style="list-style-type: none"> » 1 x 3W 200LM » 2 x COB 100LM 	<ul style="list-style-type: none"> » 1 x 1200mAh polymer lithium battery 	<ul style="list-style-type: none"> » 4-5 hours 	<ul style="list-style-type: none"> » 4 hours 	<ul style="list-style-type: none"> » 9 lighting functions » motion sensor 	<ul style="list-style-type: none"> » Charging the battery with a charger with a USB plug included in the set 	<ul style="list-style-type: none"> » product.dim: 64x39x45mm » Flashlight weight: 64g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



**REFERENCE:
LA0101**

HEAD FLASHLIGHT LA-KMR1

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy » ABS plastic	» 1 x 3W XPE LED(100LM) + » 1 x 3W COB LED(180LM)	» 1 x 1200mAh lithium 18650 battery	» 4 hours	» 3 hours	» 6 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 83x32x50mm » Flashlight weight: 75g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0101-B

LATARKA CZOŁOWA LA-KMR1-B

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place


IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1 x 1W LED 35LM + 1 x 3W COB LED 125LM	» 1 x 1200mAh lithium 18650 battery	» 3-4 hours	» 2 hours	» 3 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 82x40x30mm » Flashlight weight: 81g



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0102

HEAD FLASHLIGHT LA-KMR2

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» ABS plastic	» 1 x dioda 3W COB(250LM)	» 1 x 1200mAh lithium 18650 battery	» 4 hours	» 3 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 100x50x48mm » Flashlight weight: 84g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0103

HEAD FLASHLIGHT LA-KMR3

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminium alloy » ABS plastic	» 1 x 3W CREE-T6(180LM)	» 2 x 1200mAh lithium 18650 battery	» 4 hours	» 3 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 83x32x50mm » Flashlight weight: 150g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



**REFERENCE:
LA0104**

**LA-KMR4 MAGNETIC
HAND TORCH**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminium alloy » ABS plastic	» 1 x 3W COB LED 200LM + 1 x 1W LED 60LM + 3 x red led	» 3 x batteries (not included)	-	-	» 4 lighting functions	» -	» product.dim: 215x50x35mm » Flashlight weight: 134g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0105

HEAD FLASHLIGHT LA-KMR5

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place


IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARNING	FUNCTIONS	WIRE CONNECTIONS	PACKING/WEIGHT
» ABS + Silicone	» 1 x 5W COB LED(350LM) + 1 x 3W XPE LED (120LM)	» 1 x 1200mAh polymer battery	» 2,5 hours	» 2,5 hours	» 6 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product dim: 290x32x25mm » Waga latarki: 72g

Zastrzegamy sobie prawo do zmian danych technicznych i ewentualnych błędów. Zdjęcia i dane techniczne są wyłącznie poglądowe, a właściwy produkt może się od nich nieznacznie różnić. Kopiowanie całości lub fragmentów katalogu bez pisemnego upoważnienia jest zabronione.



REFERENCE:
LA0106

HEAD FLASHLIGHT LA-KMR6

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy	» 1 x 1W LED + 1x 3W COB LED 250LM	» 1 x 1200mAh lithium 18650 battery	» 4 hours	» 3 hours	» 8 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 100x50x48mm » Flashlight weight: 84g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0107

HEAD FLASHLIGHT LA-KMR7

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy + ABS plastic	» 2 x T6 LED + 4x 1W LED + 2x COB LED	» 2 x 1200mAh lithium 18650 battery	» 3-4 hours	» 2 hours	» 11 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 83x32x50mm » Flashlight weight: 157g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0108

HEAD FLASHLIGHT LA-KMR8

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place


IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1 x 3W LED 100LM	» 1 x 1200mAh polymer lithium battery	» 2-3 hours	» 2 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 65x28x45mm » Flashlight weight: 68g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0109

HEAD FLASHLIGHT LA-KMR9

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1 x diode XPE 3W 120LM + 1 x diode COB 3W 240LM	» 1 x 1200mAh lithium 18650 battery	» 2,5-6 hours	» 5 hours	» 8 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 102x48x34mm » Flashlight weight: 102g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0110

HEAD FLASHLIGHT LA-KMR10

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1 x diode XPE 3W 120LM + 1 x diode COB 1W 140LM	» 1 x 1200mAh lithium 18650 battery	» 2-4,5 hours	» 3 hours	» 6 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 84x42x34mm » Flashlight weight: 92g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



**REFERENCE:
LA0200**

**TACTICAL LED FLASHLIGHT LAT-
KMR**

WARNINGS FOR THE USER:


- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1x XPG 10W 300LM 7000-8000K	» 1x 1800mAh lithium 18650 battery	» 6 hours	» 6-8 hours	» 5 lighting functions +1 utility function	» Charging using a USB cable (the USB type C) » USB charging cable(included)	» product.dim: 155x37x25mm » Flashlight weight: 141g » Battery weight: 36g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0201

**TACTICAL LED FLASHLIGHT LAT-
KMRI**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1x T6 5W 120LM	» x 1200mAh lithium 18650 battery	» 4-5 hours	» 6-8 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 146x45x29mm » Flashlight weight: 120g » Battery weight: 44g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



**REFERENCE:
LA0202**

**TACTICAL LED FLASHLIGHT LAT-
KMR2**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED/LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy	» 1x T6 10W 250LM	» 2 x 1200mAh lithium 18650 battery	» 5-6 hours	» 6-8 hours	» 6 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: (189-210) x39 x26mm » Flashlight weight: 160g » Battery weight: 72g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0203

TACTICAL LED FLASHLIGHT LAT-KMR3

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED/LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1x T6 10W 300LM	» 1x 1200mAh lithium 18650 battery	» 4-5 hours	» 6-8 hours	» 5 lighting functions	» Charging the flashlight with a cable with a USB- MINI USB plug included in the set	» product.dim: (133-143)x38 x28mm » Flashlight weight: 164g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



**REFERENCE:
LA0203-B**

**TACTICAL LED FLASHLIGHT LAT-
KMR3-B**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1x T6 5W 200LM	» 1 x 1200mAh lithium 18650 battery	» 3-4 hours	» 2 hours	» 5 lighting functions	» Charging using a USB cable (the USB type C) » USB charging cable (included)	» product.dim: (133-143) x38 x28mm » Flashlight weight: 164g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.





REFERENCE:
LA0204

**TACTICAL LED FLASHLIGHT LAT-
KMR4**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED/LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
Aluminum alloy	1x P50 20W 800LM	1 x 3000mAh lithium 22650 battery	6-8 hours	6-8 hours	6 lighting functions	Charging the product using a USB cable (USB charging cable included)	product.dim: (158-173) x40 x33mm Flashlight weight: 176g / Battery weight: 89g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0205

MINI TACTICAL LED FLASHLIGHT
LAT-KMR5

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy	» XPE 3W 120LM + COB 1W 100LM	» 1 x 400mAh lithium 14500 battery	» 1,5 hours	» 1 hours	» 3 lighting functions	» Charging using a USB cable (the USB type C) » USB charging cable(included)	» product.dim: 86 x 21mm » Flashlight weight: 42g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0206

MINI TACTICAL LED FLASHLIGHT
LAT-KMR6

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» XPE 3W 120LM + COB 1W 100LM	» 1 x 400mAh lithium 14500 battery	» 1-1,5 hours	» 1 hours	» 4 lighting functions	» Charging using a USB cable (included)	» product.dim: 90 x 21 x 27mm » Flashlight weight: 52g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.





REFERENCE:
LA0207

TACTICAL LED FLASHLIGHT LAT-KMR7

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1 x XPE LED 3W 180LM	» 1 x 1200mAh lithium 18650 battery	» 3-4 hours	» 2 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: (112-125) x28x25mm » Flashlight weight: 99g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0208

TACTICAL LED FLASHLIGHT LAT-KMR8

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1x T6 5W 200LM + 1x COB 3W 120LM	» 1 x 1200mAh lithium 18650 battery	» 3-4 hours	» 2 hours	» 6 lighting functions	» Plug USB ((built into the body of the flashlight)	» product.dim: (113-123) x45x29mm » Flashlight weight: 116g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0209

**TACTICAL LED FLASHLIGHT LAT-
KMR9**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1 x CREE 5W 250LM + 1 x COB 3W 120LM	» 2 x 1200mAh lithium 18650 battery	» 3-4 hours	» 2 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: (189-205) x39x26mm » Flashlight weight: 206g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0210

**TACTICAL LED FLASHLIGHT LAT-
KMR10**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy	» 1 x T6 6W 200LM + 1x COB 3W 120-150LM	» 1 x 1800mAh lithium 18650 battery	» 3-4 hours	» 2,5 hours	» 4 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 134 x26mm » Flashlight weight: 149g



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0211

TACTICAL LED FLASHLIGHT LAT-KMR11

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy	» 1 x T6(warm) 6W 200LM + 1 x T6(cold) 6W 180LM	» 1 x 1800mAh lithium 18650 battery	» 3-4 hours	» 2,5 hours	» 3 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 135x28x29mm » Flashlight weight: 130g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0212

**TACTICAL LED FLASHLIGHT LAT-
KMR12**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy	» 1 x XPE 3W 200LM + 1x COB 1W 120LM	» 1 x 1800mAh lithium 18650 battery	» 3-4 hours	» 2,5 hours	» 3 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: (127-135)x27mm » Flashlight weight: 104g



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



**REFERENCE:
LA0213**

**TACTICAL LED FLASHLIGHT LAT-
KMR13**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place


IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



USB



SAFETY HAMMER



CUTTING BLADE



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» XPE 3W 200LM	» 1 x 1200mAh lithium 18650 battery	» 3-4 hours	» 2,5 hours	» 5 lighting functions » 3 utility functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 166x58x26mm » Flashlight weight: 176g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0214

**TACTICAL LED FLASHLIGHT LAT-
KMR14**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
» Aluminum alloy	» 1 x P50 LED 10W 290LM	» 1 x 2000mAh lithium 18650 battery	» 3-4 hours	» 2 hours	» 6 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: (153-168) x40x33mm » Flashlight weight: 174g



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0215

**TACTICAL LED FLASHLIGHT LAT-
KMR15**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» Aluminum alloy	» 1 x 5050LED 20W 1000LM	» 2 x 3000mAh lithium 26650 battery	» 8-14 hours	» 7 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 258x56x34mm » Flashlight weight: 245g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0216

**TACTICAL LED FLASHLIGHT LAT-
KMR16**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
Aluminum alloy	» 1 LED » 500 LM	» 1 x battery18650 lithium1800mAh	» 2-4 hours	» 4 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: (153-172) x36x27mm » Flashlight weight: 122g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0217

TOURIST HANDHELD FLASHLIGHT
LAT-KMR17

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
» ABS Plastic + Metal	» 3 LED » 380 LM	» 2 x 1200mAh lithium 18650 battery	» 4-4,5 h	» 5 hours	» 6 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 207 x140x110mm » Flashlight weight: 563g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0218

TOURIST HANDHELD FLASHLIGHT
LAT-KMR18

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



THREE FOLDABLE LEGS



HOOK



POWERBANK



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
ABS+PS	» 1 x P50 20W 600-1700LM	» 3 x 1500mAh lithium 18650 battery	» 2-4 h	» 8 hours	» 6 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: (304 x394) x125mmx110mm » Flashlight weight: 712g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0219

**TACTICAL LED FLASHLIGHT LAT-
KMR19**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



$\zeta < 20\%$



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
Aluminum alloy	» 1 x diode XHP50 20W 1600LM	» 1 x 5000mAh lithium 26650 battery	» 2-5 hours	» 4 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 168x43x33mm » Flashlight weight: 100g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE: LA0220

TACTICAL LED FLASHLIGHT LAT- KMR20

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
Aluminum alloy	» 1 x diode OSRAM P9 15W 1000LM	» 1 x 2200mAh lithium 18650 battery	» 2-4 hours	» 3 hours	» 5 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 165x35x25mm » Flashlight weight: 140g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0221

**TACTICAL LED FLASHLIGHT LAT-
KMR21**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place



IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/ WEIGHT
Aluminum alloy	» 1 x dioda XPE 1W 30LM + 1x dioda COB 3W 150LM	» 1 x 600mAh lithium 18650 battery	» 1-2 hours	» 2 hours	» 4 lighting functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 154x15x19mm » Flashlight weight: 50g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE: LA0300

WORKSHOP WORK LAMP LAW- KMR

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place


IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
ABS	» 1 LED » 1000 LM	» 2 x 1500mAh lithium 18650 battery	» 3-6 hours	» 5 hours	» 5 lighting functions » 3 utility functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 152x160mmx44mm » Flashlight weight: 361g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0301

**WORKSHOP WORK LAMP LAW-
KMRI**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
ABS plastic + metal	» 1 LED » 1500 LM	» 2 x 2200mAh lithium 18650 battery	» 3-6 hours	» 6 hours	» 5 lighting functions » 2 utility functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 222x240x40mm » Flashlight weight: 641g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
LA0302

**WORKSHOP WORK LAMP LAW-
KMR2**

WARNINGS FOR THE USER:

- Use as intended
- The flashlight may become warm during long use
- Product not for use by children
- The flashlight is not waterproof

INSTRUCTIONS FOR DISPOSAL OF THE BATTERY

- turn off the flashlight's power
- open the battery compartment
- remove the batteries or accumulators from the device
- dispose of removed batteries or accumulators in a designated place

IMPORTANT!

Do not look directly at the light. It can cause the eye damage



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

MATERIAL	LED /LM QUANTITY	BATTERY	BATTERY WORKTIME	TIME OF CHARGING	FUNCTIONS	WIRE CONNECTION	PACKING/WEIGHT
ABS + Nylon + PC material	» 3 LED » 3000 LM	» 2 x 2000mAh lithium 18650 battery	» 3-5 hours	» 8 hours	» 18 lighting functions » 4 utility functions	» Charging the battery with a charger with a USB plug included in the set	» product.dim: 113x112x45mm » Flashlight weight: 400g

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



TOOLS



REFERENCE:
RT0010-15

**WHEEL SPANNER WITH TOMMY
BAR**

User manual:

- Use only as intended,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

REFERENCE:	SIZE
» RT0010	» 24x27
» RT0011	» 27x30
» RT0012	» 30x32
» RT0013	» 32x33
» RT0014	» 27x32
» RT0015	» 30x33

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT0016

**TELESCOPIC WRENCH WITH
CAP 17-19 MM**

User manual:

- Use only as intended,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• Telescopic wrench with cap 17-19 mm



REFERENCE:
RT0017

CROSS WRENCH 17-19-21-1/2"

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• Cross rim wrench, 17*19*21mm*1/2"

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT0100

WRENCH SET 6-32 CHCANGE

User manual:

- Use only as intended,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• Wrench set 6-32

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT0150

WRENCH SET 6-32 CHCANGE

User manual:

- Use only as intended,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• Wrench set 6-32

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT0200

12 PCS SPANNERS SET

User manual:

- Use only as intended,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS

- 12 pcs spanners set

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2000

KMR1 TOOLS SET - 6 ELEMENTS

Warning and installation instructions:

- Use in accordance to the purpose
- Keep all safety measures during use



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• 72 tooth ratchet combination wrench spanner set 6pcs: 8, 10, 13, 15, 17, 19mm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2001

KMR2 TOOLS SET - 6 ELEMENTS
FLEX

Warning and installation instructions:

- Use in accordance to the purpose
- Keep all safety measures during use



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• 72 tooth flexible ratchet combination wrench spanner set, 6pcs: 8, 10, 13, 15, 17, 19mm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2002

KMR3 TOOLS SET - 9 ELEMENTS

HEX

Warning and installation instructions:

- Use in accordance to the purpose
- Keep all safety measures during use



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• 9pcs hex key wrench set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2003

KMR4 TOOLS SET - 9 ELEMENTS
TORX

Warning and installation instructions:

- Use in accordance to the purpose
- Keep all safety measures during use



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS

- 9pcs torx key wrench set, extra long length: T10, T15, T20, T25, T27, T30, T40, T45, T50

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2004

**KMR5 TOOLS SET - 22
ELEMENTS 1/2"**

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• 15pcs 1/2"Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32mm• 2pcs 1/2"plug: 16,21mm• 2pcs 1/2"Dr.extension bar:5", 10"• 1pc 1/2"Dr. universal joint• 1pc 1/2"Dr.ratchet handle• 1pc 3-way adaptor



REFERENCE:
RT2005

KMR6 TOOLS SET - 12 ELEMENTS

1/2"

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• 10pcs 1/2" Dr. Sockets: 10, 11, 12, 13, 14, 15, 17, 18, 22, 24mm• 1pc 1/2" Dr.extension bar: 5"• 1pc ratchet handle 1/2"

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2006

**KMR7 TOOLS SET - 20
ELEMENTS 1/2"**

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS

- 18pcs 1/2"Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32mm
- 1pc 1/2" Dr.extension bar: 5"
- 1pc ratchet handle 1/2"

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2007

**KMR8 TOOLS SET - 94
ELEMENTS 1/2" AND 1/4"**

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS

- 1pc 1/2Dr. Bits holder
- 4pcs 1/2Dr. Deep sockets: 14, 15, 17, 19mm
- 8pcs 1/4Dr. Deep sockets: 6, 7, 8, 9, 10, 11, 12, 13mm
- 17pcs 1/4Dr. Bits socket: T8, T10, T15, T20, T25, T30, H3, H4, H5, H6, PHZ1, PZ2, SL4, SL5.5, SL7, PH1, PH2
- 15pcs Screwdriver bits: H8, H10, H12, H14, PZ3, PZ4, SL8, SL10, SL12, PH3, PH4, T40, T45, T50, T55
- 1pc Adapter: Male square 1/4" x Male Hex 1/4"
- 18pcs 1/2Dr. Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 13pcs 1/4Dr. Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1pc 3-way Adaptor
- 2pcs 1/2Dr. Extension bar: 5", 10"
- 2pcs Ratchet handle: 1/4Dr., 1/2Dr.
- 2pcs Universal Joint: 1/4Dr., 1/2Dr.
- 1pc 1/4Dr. Sliding T-bar: 4.5"
- 3pcs Hex key wrench: 1.5, 2, 2.5mm
- 2pcs 1/2Dr. Spark plug sockets: 16, 21mm
- 1pc 1/4Dr. Spin handle: 6"
- 1pc 1/4Dr. Flexible extension bar: 6"
- 2pcs 1/4Dr. Extension bar: 2", 4"

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2008

KMR9 TOOLS SET - 10 ELEMENTS

L-TYPE

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• 9pcs 1/2" socket: 8 10 11 12 13 14 17 19 21mm• 1pc L type extension bar

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2009

KMR10 TOOL SET - 26 ELEMENTS

3/4" H.DUTY

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe

PHOTO:



SET CONTAINS:

TOOLS
<ul style="list-style-type: none">• 3/4" heavy duty sockets set• 17pcs 3/4" socket:21,22,23,24,26,27,28,29,30,31, 32,34,36,38,41,46,50• 3pcs 1" socket:55,60,65• 1pc 3/4" ratchet handle• 1pc universal joint• 1pc 3/4"force rod 450mm• 1pc 1" sliding T bar 450mm• 1pc 3/4" extension bar 200mm• 1pc 3/4" L bent bar 160mm



www.myKAMAR.com

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2010

**KMR11 TOOLS SET - 46
ELEMENTS 1/4"**

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS

- 21pcs 1/4"Dr. Bits socket: SL4, SL5.5, SL7, PH1, PH2, PH3, PZ1, PZ2, PZ3, H3, H4, H5, H6, H7, H8, T10, T15, T20, T25, T30, T40
- 3pcs Hex key wrench
- 13pcs 1/4"Dr. Socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1pc 1/4"Dr Ratchet handle
- 1pc 1/4"Dr. Univeral joint
- 1pc 1/4"Dr. Spinner handle
- 1pc 1/4"Dr. Sliding T-bar
- 1pc 1/4"Dr. Extension bar: 2", 4"
- 1pc Drive adaptor
- 1pc 1/4"Dr. Bits coupler
- 1pc 1/4"Dr. Flexible extension bar: 5"
- 1pc Blow plastic box

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2011

**KMR12 TOOLS SET - 32
ELEMENTS 1/2"**

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS

- 1pc 1/2" Universal joint
- 2pcs spark plug sockets: 16,21mm
- 2pcs extension bar: 5", 10"
- 1pc adapter
- 1pc ratchet handle
- 19pcs sockets 1/2" sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
- 6pcs 1/2" sockets(12PT):10, 12, 14, 15, 17, 19mm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
RT2012

**KMR13 TOOLS SET - 36
ELEMENTS 1/2"**

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



SET CONTAINS:

TOOLS

- 12pcs combination spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 19pcs 1/2" Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
- 1pc ratchet handle
- 2pcs spark plug sockets: 16,21mm
- 1pc 1/2" Universal joint
- 1pc 10" extension bar with sliding head



REFERENCE:
RT1010-A

LABOR SAVING WRENCH 1:58

User manual:

- Use only as intended,
- Ratchet wrench set with sockets, bits, extensions,
- Be careful with using,
- Do not use a wrench extension with another one wrench or pipe



www.myKAMAR.com

PHOTO:



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



ACCESSORIES



REFERENCE: AKC8050

REFRACTOMETER FLUID TESTER

WARNINGS:

- Use as intended
- Store only in a cool and dry area.
- Use and storage out of reach of children


BEFORE THE TEST:

- With equipment of ATC system, the ambient working temperature should be at 68F/20° C. Once done calibration, the shifts in ambient temperature within the acceptable range 10° C to 30° C should not affect the accuracy.
- Please wipe dry the Cover Plate and Prism with a soft lint-free cloth after each and every test and before storing. It is important to maintain the cover plate and prism dust and stain free in order to have good repeatability measurement.




www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



KIT COMPOSITION:	DESTINY:
<ul style="list-style-type: none"> » refractometer » pipette » calibration screwdriver » cleaning cloth » storage box 	<p>The refractometer is an optical device that allows you to measure the freezing point of fluids such as: glycol-based cooling system fluids, washer fluids, and additionally to determine the ADBLUE fluid concentration and electrolyte density in batteries.</p>



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8100

**MICROFIBER CAR WASHING
SPONGE YELLOW KMRI**

WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AN



TECHNICAL SPECIFICATIONS:

MATERIAL	SIZE
microfiber	23 x 10,5 x 5 cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8101

**MICROFIBER CAR WASHING
SPONGE GREEN KMR2**


WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

MATERIAL	SIZE
microfiber	18x11x5,5 cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8102

**MICROFIBER CAR WASHING
GLOVE YELLOW KMR3**

WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

MATERIAL	LENGTH	WIDTH
microfiber	23cm	17 cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8120

WHEEL BRUSH KMRI

WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

MATERIAL	SIZE
TPR	24,5x7cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8121

WHEEL BRUSH KMR2

WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

MATERIAL	SIZE
PP	27x7cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8122

CLEANING BRUSHES SET - 4 PCS

APPLICATION:

Cleaning tip set allows you to get rid of all kinds of dirt from different surfaces.

Useful for cleaning bathrooms, floors and car rims.

WARNING FOR THE USER:

- Use in accordance to the purpose.

Adapt type of tip to cleaned surface. It is recommended to make a test on an invisible part of cleaned surface to avoid damage outer coating.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



KIT COMPOSITION:

- » 1 x nylon brush diameter 5cm
- » 1 x nylon brush diameter 10cm
- » 1 x nylon brush length 9cm
- » 1 x mounting adapter 15cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8123

CLEANING BRUSHES SET - 10 PCS

APPLICATION:

Cleaning tip set allows you to get rid of all kinds of dirt from different surfaces.

Useful for cleaning bathrooms, floors and car rims.

WARNING FOR THE USER:


- Use in accordance to the purpose.

Adapt type of tip to cleaned surface. It is recommended to make a test on an invisible part of cleaned surface to avoid damage outer coating.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



KIT COMPOSITION:

- » 1 x nylon brush diameter 5cm
- » 1 x nylon brush diameter 10cm
- » 1 x nylon brush length 9cm
- » 1 x Velcro disc 10cm
- » 3 x scouring pad brown (granularity 400) 10cm
- » 3 x scouring pad green (granularity 600) 10cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8124

CLEANING BRUSHES SET - 22 PCS

APPLICATION:

Cleaning tip set allows you to get rid of all kinds of dirt from different surfaces.

Useful for cleaning bathrooms, floors and car rims.

WARNING FOR THE USER:

- Use in accordance to the purpose.

Adapt type of tip to cleaned surface. It is recommended to make a test on an invisible part of cleaned surface to avoid damage outer coating.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



10cm




2 x 5cm



2 x 10cm



10cm



10cm



9cm



10cm



10cm



10cm



15cm



10cm

KIT COMPOSITION:

- » 2 x nylon brush diameter 5cm
- » 3 x nylon brush diameter 10cm
- » 1 x nylon brush diameter length 9cm
 - » 1 x Velcro disc 10cm
 - » 1 x mounting adapter 15cm
- » 3 x scouring pad green (granularity 240) 10cm
- » 3 x scouring pad brown (granularity 400) 10cm
- » 3 x scouring pad grey (granularity 600) 10cm
- » 3 x scouring pad orange (granularity 1500) 10cm
- » 2 x polishing sponge 10cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8125

WIRE BRUSH

WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

MATERIAL	SIZE
Steel Iron	24 cm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8140

SCREWDRIVER SET 6 PCS

User manual:

- Use only as intended,
- Be careful with using,



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



SET CONTAINS:

6 x screwdrivers

- - 4 x 100mm
- - 5,5 x 125mm
- - 6,5 x 150mm
- + 3 x 60mm
- + 5 x 80mm
- + 6 x 100mm

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8141

**SCREWDRIVERS SET WITH
HANGER 18 PCS**

User manual:

- Use only as intended,
- Be careful with using,



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



SET CONTAINS:

8 x screwdrivers:	10 x precision screwdrivers:
<ul style="list-style-type: none">- 6 x 38mm- 5 x 75mm- 6 x 100mm- 8 x 150mm+ PH 2 x 38mm+ PH 1 x 75mm+ PH 2 x 100mm+ PH 3 x 150mm	<ul style="list-style-type: none">- 2.0 x 50mm- 2,5 x 50mm- 3.0 x 50mm+ PH 00 x 50mm* T6 x 50mm* T8 x 50mm* T10 x 50mm+ PH0 x 50mm* T7 x 50mm* T9 x 50mm



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8170

CABLE USB IPHONE 1M




WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

TYPE	LENGTH	OUT CURRENT
» suitable for Iphone (fast charging)	» 100cm	» 2,4A

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8171

CABLE USB TYPE-C 1M


WARNING FOR THE USER

- Use in accordance to the purpose.




www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

TYPE	LENGTH	OUT CURRENT
» C (fast charging)	» 100cm	» 2,4A



We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC8172

CABLE USB TYPE-C 1,5M



WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:

TYPE	LENGTH	OUT CURRENT
» C (fast charging)	» 150cm	» 2,0A

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC0401

TELESCOPIC BRUSH 116-200 CM

WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

LENGTH	WEIGHT	BRUSH HEAD WIDTH	PACKING
• 116-200 cm	• 0,71 kg	• 25 cm	• cart dim.: 117x27x17,5cm • 15 pcs/bulk box

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.



REFERENCE:
AKC0402

TELESCOPIC BRUSH BIG 150-250CM

WARNING FOR THE USER

- Use in accordance to the purpose.



www.myKAMAR.com

PHOTO:



TECHNICAL SPECIFICATIONS:

LENGTH	WEIGHT	BRUSH HEAD WIDTH	PACKING
• 150-250 cm	• 1,33 kg	• 30 cm	• cart.dim: 145x31x23cm • 12 pcs/bulk box

We reserve the right to change technical data and any errors. Photos and specifications are for reference only, and the actual product may vary slightly. Reproduction in whole or parts of the catalog without written authorization is prohibited.